Human OX40/TNFRSF4 Protein

HA210232



Product name:	Human OX40/TNFRSF4 Protein
Catalog No.:	HA210232
Purity:	> 95% as determined by Bis-Tris PAGE.
Endotoxin:	Less than 0.01 EU per ug by the LAL method.
Formulation:	Supplied as 0.22um filtered solution in PBS (pH 7.4).
Background:	Tumor necrosis factor receptor superfamily, member 4 (TNFRSF4), also known as CD134 and OX40 receptor. OX40 is a secondary co-stimulatory immune checkpoint molecule, expressed after 24 to 72 hours following activation; its ligand, OX40L, is also not expressed on resting antigen presenting cells, but is following their activation.

Source: Human OX40 is expressed from mammalian with a Fc tag at the C-terminal. It contains Leu29-Ala216.

Tag:

C-hFc

Storage:

The product should be stored at -70°C. Please do not repeated freeze-thaw cycles.

Hangzhou HuaAn Biotechnology Co.,Ltd. Orders: 0086-571-88062880 Technical:

Technical:0086-571-89986345

Service mail: support@huabio.cn



Applications: WB=Western blot IP=Immunoprecipitation IHC=Immunohistochemistry IF=Immunofluorescence FC=Flow cytometry

Images




Fig1: Recombinant OX40 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.




Fig2: Immobilized OX40L at 0.5ug/ml (100ul/well), dose response curve for OX40 protein, Fc tag with the EC50 of 73.27ng/ml determined by ELISA

Note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE".



Hangzhou HuaAn Biotechnology Co.,Ltd. Orders: 0086-571-88062880 Technical:00

Technical:0086-571-89986345

Service mail: support@huabio.cn

www.huabio.cn

Applications: WB=Western blot IP=Immunoprecipitation IHC=Immunohistochemistry IF=Immunofluorescence FC=Flow cytometry