Human IL-9, C-Flag Tag Protein HA210911



Product name:	Human IL-9, C-Flag Tag				
Species reactivity:	Human				
Bio-Activity:	Testing in progress.				
Protein construction description:	ADNA sequence encoding the human IL-9 protein (P15248) (Gin 19-Ile 144) was expressed with a Flag tag at the C-terminus				
Background:	Interleukin 9, also known as IL-9, is a pleiotropic cytokine (cell signalling molecule) belonging to the grou interleukins.[5] IL-9 is produced by variety of cells like mast cells, NKT cells, Th2, Th17, Treg, ILC2, and cells in different amounts. Among them, Th9 cells are regarded as the major CD4+ T cells that produce IL-9. is a cytokine secreted by CD4+ helper cells that acts as a regulator of a variety of hematopoietic cells. Cytokine stimulates cell proliferation and prevents apoptosis. It functions through the interleukin-9 receptor (ILS which activates different signal transducer and activator (STAT) proteins namely STAT1, STAT3 and STAT and thus connects this cytokine to various biological processes. The gene encoding this cytokine has be identified as a candidate gene for asthma. Genetic studies on a mouse model of asthma demonstrated that cytokine is a determining factor in the pathogenesis of bronchial hyperresponsiveness. Interleukin-9 has shown to inhibit melanoma growth in mice. Additionally, it gives rise to the multiplication of hematologic neoplas and also Hodgkin's lymphoma in humans but IL-9 also has antitumor properties in solid tumors, for exar melanoma.				
Purity:	>95% as determined by SDS-PAGE.				
Endotoxin:	Less than 1.0 EU per μ g by the LAL method.				
Fragment region:	IL-9 (19-144)				
Source:	HEK293				
Accession:	P15248				
Predicted molecular mass:	15.7 kD				
Formulation:	Lyophilized from a 0.2 μm filtered solution of PBS, pH7.4, 5% Trehalose, 5% mannitol.				
Reconstitution:	Reconstitute at 250 µg/ml in sterile water.				
Storage:	Please avoid repeated freeze-thaw cycles. Samples are stable for up to twelve months from date of receipt at - 20° to - 80° . It is recommended that aligned the reconstituted solution to minimize freeze-thaw cycles				

Hangzhou Huaan Biotechnology Co., Ltd.

Ord	arc'0	006_	571_	00061	000
JIU	ers.0	000-	511-	00004	2000

Technical:0086-571-89986345

Service mail:support@huabio.cn



Applications:WB=Western blot IHC-P=Immunohistochemistry (paraffin) IF-Cell=Immunofluorescence (Cell) IF-Tissue=Immunofluorescence (Tissue) FC=Flow cytometry IP=Immunoprecipitation

Images



Fig1: Protein on SDS-PAGE under reducing (R) condition.

Note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE".

Hangzhou Huaan Biotechnology Co., Ltd.



Orders:0086-571-88062880

Technical:0086-571-89986345

Service mail:support@huabio.cn

Applications:WB=Western blot IHC-P=Immunohistochemistry (paraffin) IF-Cell=Immunofluorescence (Cell) IF-Tissue=Immunofluorescence (Tissue) FC=Flow cytometry IP=Immunoprecipitation