

iFluor™ 555 Conjugated Goat anti-Chicken IgY Antibody

HA1141



Product Type:	Goat polyclonal IgG, secondary antibodies
Species reactivity:	Chicken
Applications:	IHC-Fr, IF-Tissue, IF-Cell

Description: Whole IgG antibodies are isolated as intact molecules from antisera by immunoaffinity chromatography. They have an Fc portion and two antigen binding Fab portions joined together by disulfide bonds and therefore they are divalent. The average molecular weight is reported to be about 160 kDa. The whole IgG form of antibodies is suitable for the majority of immunodetection procedures and is the most cost effective.

Conjugate: iFluor™ 555

Immunogen: Chicken IgY protein.

Recommended Dilutions:

IHC-Fr	1:1,000
IF-Tissue	1:1,000
IF-Cell	1:500-1:1,000

Storage Buffer: 1*PBS (pH7.4), 1% BSA, 40% Glycerol, 0.2% Proclean 950.

Storage Instruction: Store at +4°C after thawing. Aliquot store at -20°C. Avoid repeated freeze / thaw cycles.

Purity: Immunogen affinity purified.

Hangzhou Huaan Biotechnology Co., Ltd.

Orders:0086-571-88062880

Technical:0086-571-89986345

Service mail:support@huabio.cn

 华安生物
HUABIO
www.huabio.cn

Images




Fig1: Application: IHC-Fr

Species: Mouse

Site: cerebellum

Sample: Frozen section

Primary antibody (HA601471) concentration: 1/200

Secondary Antibody (HA1141) concentration: 1/1,000

Antigen retrieval: Not required




Fig2: Application: IF-Tissue

Species: Mouse

Site: cerebellum

Sample: Paraffin-embedded section

Primary antibody (HA601471) concentration: 1/200

Secondary Antibody (HA1141) concentration: 1/1,000

Note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE".