

# iFluor™ 647 Conjugated Anti-Human CD14 Antibody [SC69-02] HA720184F



<b>Product Type:</b>	Recombinant Rabbit monoclonal IgG, primary antibodies
<b>Species reactivity:</b>	Human
<b>Applications:</b>	FC
<b>Molecular Wt:</b>	Predicted band size: 40 kDa
<b>Clone number:</b>	SC69-02

**Description:** Lipopolysaccharide (LPS) elicits the secretion of mediators and cytokines produced by activated macrophages and monocytes. CD14 is a glycosylphosphatidylinositol (GPI)-anchored protein found on the surfaces of monocytes and polymorphonuclear leukocytes. CD14 functions as a receptor for LPS, resulting in the secretion of various proteins. An important component in the LPS activation of monocytes through the CD14 receptor is the "adapter molecule," lipopolysaccharide binding protein (LBP). There are two forms of CD14, a membrane-associated form (mCD14), and a soluble form (sCD14). mCD14 responds to LPS alone and facilitates the secretion of proteins, while cells not expressing mCD14 fail to respond to LPS. The cells that lack mCD14 respond to LPS/LBP in the presence of sCD14.

**Conjugate:** iFluor™ 647, Ex: 656nm; Em: 670nm.

**Immunogen:** Synthetic peptide within Human CD14 aa 310-335 / 375.

**Positive control:** Human peripheral blood cells.

**Subcellular location:** Cell membrane, Secreted, Golgi apparatus, Membrane raft.

**Database links:** SwissProt: P08571 Human

**Recommended Dilutions:**  
FC 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood.

**Storage Buffer:** Preservative: 0.02% Sodium azide Constituents: 30% Glycerol, 1% BSA, 68.98% PBS

**Storage Instruction:** Store at 2°C to 8°C. Avoid repeated freeze / thaw cycles.

**Purity:** Protein A affinity purified.

Hangzhou Huaan Biotechnology Co., Ltd.


Orders:0086-571-88062880

Technical:0086-571-89986345


Service mail:support@huabio.cn

 华安生物  
HUABIO  
www.huabio.cn

## Images



**Fig1:** Flow cytometry analysis of human peripheral blood cells labelling Human CD14 with Rabbit anti-Human CD14 antibody (HA720184F) and VISTA with Rabbit anti-VISTA antibody (HA720183F).



**Fig2:** Flow cytometry analysis of human peripheral blood labelling Human CD14 (HA720184F, iFluor™ 647).

**Note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE".

## Background References

1. Dutertre CA et al. Deciphering the stromal and hematopoietic cell network of the adventitia from non-aneurysmal and aneurysmal human aorta. PLoS One 9:e89983 (2014).
2. Hsu RY et al. LPS-induced TLR4 signaling in human colorectal cancer cells increases beta1 integrin-mediated cell adhesion and liver metastasis. Cancer Res 71:1989-98 (2011).

Hangzhou Huaan Biotechnology Co., Ltd.

Orders:0086-571-88062880

Technical:0086-571-89986345

Service mail:support@huabio.cn

华安生物  
HUABIO  
www.huabio.cn